

**Journalbeiträge**

1. Cameron S, Schwartz A, Sultan S, Schaefer IM, Hermann R, Rave-Fränk M, Hess CF, Christiansen H, Ramadori G (2012) Radiation-induced damage in different segments of the rat intestine after external beam irradiation of the liver. *EXP MOL PATHOL*, 92(2): 243-58.
2. Christiansen H, Rödel RMW (2012) [Neck dissection of the residually positive neck after primary radiochemotherapy for locally advanced head and neck cancer]. *STRAHLENTHER ONKOL*, 188(5): 444-5.
3. Christiansen H, Rödel RMW (2012) [Subjective assessment of voice quality after surgical or radiotherapeutic treatment of glottic laryngeal carcinoma stage T1]. *STRAHLENTHER ONKOL*, 188(3): 292-3.
4. Fraunholz I, Rödel C, Distel L, Rave-Fränk M, Kohler D, Falk S, Rödel F (2012) High survivin expression as a risk factor in patients with anal carcinoma treated with concurrent chemoradiotherapy. *RADIAT ONCOL*, 7: 88.
5. Gandesiri M, Chakilam S, Ivanovska J, Benderska N, Ocker M, Di Fazio P, Feoktistova M, Gali-Muhtasib H, Rave-Fränk M, Prante O, Christiansen H, Leverkus M, Hartmann A, Schneider-Stock R (2012) DAPK plays an important role in panobinostat-induced autophagy and commits cells to apoptosis under autophagy deficient conditions. *APOPTOSIS*, 17(12): 1300-15.
6. Grade M, Wolff HA, Gaedcke J, Ghadimi BM (2012) The molecular basis of chemoradiosensitivity in rectal cancer: implications for personalized therapies. *LANGENBECK ARCH SURG*, 397(4): 543-55.
7. Hennies S, Wolff HA, Jung K, Rave-Fränk M, Gaedcke J, Ghadimi M, Hess CF, Becker H, Hermann RM, Christiansen H (2012) Testicular radiation dose after multimodal curative therapy for locally advanced rectal cancer. Influence on hormone levels, quality of life, and sexual functioning. *STRAHLENTHER ONKOL*, 188(10): 926-32.
8. Herrmann MKA, Kertesz T, Gsänger T, Bloch E, Pollul G, Bouabdallaoui M, Strauss A, Herrmann M, Christiansen H, Wolff HA, Hess CF, Hille A (2012) Gold marker displacement due to needle insertion during HDR-brachytherapy for treatment of prostate cancer: a prospective cone beam computed tomography and kilovoltage on-board imaging (kV-OBI) study. *RADIAT ONCOL*, 7: 24.
9. Jo P, Jung K, Grade M, Conradi LC, Wolff HA, Kitz J, Becker H, Rüschoff J, Hartmann A, Beissbarth T, Müller-Dornieden A, Ghadimi M, Schneider-Stock R, Gaedcke J (2012) CpG island methylator phenotype infers a poor disease-free survival in locally advanced rectal cancer. *SURGERY*, 151(4): 564-70.
10. Nitsche M, Christiansen H, Lederer K, Griesinger F, Schmidberger H, Pradier O (2012) Fludarabine combined with radiotherapy in patients with locally advanced NSCLC lung carcinoma: a phase I study. *J CANCER RES CLIN*, 138(7): 1113-20.
11. Rödel C, Liersch T, Becker H, Fietkau R, Hohenberger W, Hothorn T, Graeven U, Arnold D, Lang-Welzenbach M, Raab HR, Sülberg H, Wittekind C, Potapov S, Staib L, Hess C, Weigang-Köhler K, Grabenbauer GG, Hoffmanns H, Lindemann F, Schlenska-Lange A, Folprecht G, Sauer R, on behalf of the German Rectal Cancer Study Group (2012) Preoperative chemoradiotherapy and postoperative chemotherapy with fluorouracil and oxaliplatin versus fluorouracil alone in locally advanced rectal cancer: initial results of the German CAO/ARO/AIO-04 randomised phase 3 trial. *LANCET ONCOL*, 13(7): 679-87.
12. Rödel RMW, Christiansen H (2012) [CT surveillance for primary site recurrence of squamous cell carcinoma of the head and neck]. *STRAHLENTHER ONKOL*, 188(9): 839-40.
13. Sauer R, Liersch T, Merkel S, Fietkau R, Hohenberger W, Hess C, Becker H, Raab HR, Villanueva MT, Witzigmann H, Wittekind C, Beissbarth T, Rödel C (2012) Preoperative versus postoperative chemoradiotherapy for locally advanced rectal cancer: results of the German CAO/ARO/AIO-94 randomized phase III trial after a median follow-up of 11 years. *J CLIN ONCOL*, 30(16): 1926-33.
14. Schirmer MA, Nadine Mergler CP, Rave-Fränk M, Herrmann MK, Hennies S, Gaedcke J, Conradi LC, Jo P, Beissbarth T, Hess CF, Becker H, Ghadimi M, Brockmöller J, Christiansen H, Wolff HA (2012) Acute toxicity of radiochemotherapy in rectal cancer patients: a risk particularly for carriers of the TGFB1 Pro25 variant. *INT J RADIAT ONCOL*, 83(1): 149-57.
15. Schirmer MA, Wolff HA, Conradi LC, Christiansen H (2012) In regard to "Thymidylate synthase gene polymorphism affects the response to preoperative 5-fluorouracil chemoradiation therapy in patients with rectal cancer" (*Int J Radiat Oncol Biol Phys* 2011;81:669-676). *INT J RADIAT ONCOL*, 82(3): 1058.
16. Schroeter MR, Stein S, Heida NM, Leifheit-Nestler M, Cheng IF, Gogiraju R, Christiansen H, Maier LS, Shah AM, Hasenfuss G, Konstantinides S, Schäfer K (2012) Leptin promotes the mobilization of vascular progenitor cells and neovascularization by NOX2-mediated activation of MMP9. *CARDIOVASC RES*, 93(1): 170-80.
17. Wolff HA, Liersch T (2012) [Total mesorectal excision with and without preoperative radiotherapy for patients with resectable rectal cancer: The multicentre, randomised controlled TME trial 12-year follow-up]. *STRAHLENTHER ONKOL*, 188(7): 634-5.

**Habilitationen**

1. Wolff H (2012) Multimodale Therapie bei Patienten mit lokal fortgeschrittenen Rektumkarzinomen: Aspekte zur Individualisierung durch Prädiktion von Tumoransprechen und Nebenwirkungen. Habilitation Universität Göttingen.

**Medizinische Dissertationen**

1. Wolff C, Dr. med. (2012) Inzidenz von Zweittumoren bei Patienten mit zuvor kurativ behandeltem Tumor im Hals-Nasen-Ohren-Bereich - eine prospektive Analyse. Dissertation Universität Göttingen.